

Google scholar

labeled haplotype OR haplotyping author:larsen [Search](#) [Advanced Scholar Search](#) [Scholar Preferences](#)Genetic diagnosis with the denaturing gradient gel electrophoresis technique improves diagnostic precision in familial hypercholesterolemia[ahajournals.org \[HTML\]](#)

P. Guldberg, NE Petersen, ML Larsen, T Haghfelt, K ... - *Circulation*, 1995 - Am Heart Assoc
 ... Bo Hansen, MD; Per Guldberg, MSc; Niels Erik Petersen, MD; Mogens Lykken Larsen, MD, Torben ...
 Southern Blotting The **haplotype** of the LDLR gene was determined at three variable restriction ...
 PCR products was performed as described 24 using a 32 P-end-labeled primer B ...

[Cited by 7 - Related articles - St. Direct - All 4 versions](#)HISTOPATHOLOGICAL CHANGES IN EXOCRINE GLANDS OF MURINE TRANSPLANTATION CHIMERAS. II: SJOGREN'S SYNDROME-LIKE EXOCRINOPATHY IN ...

AP Uesugi, JUJU Iizuka, I Sorenson, S Larsen, ... - 1992 - Informaworld.com
 ... The Balb/c donor strain is H-2 **haplotype**-identical to the DBA strain (H-7) previously used for ...
 distribution and pattern of deposited immunoglobulins/immune complexes were detected by direct immunofluorescence with fluorescein-isothiocyanate(FITC)-labelled Rabbit-ant ...

[Cited by 3 - Related articles - All 4 versions](#)Single and combined effects of the vitamin D analogue KH1060 and cyclosporin A on mercuric-chloride-induced autoimmune disease in the BN rat[nih.gov \[PDF\]](#)

CB Andersen, S Larsen, E ... - *Clinical & ...*, 1992 - Interscience.wiley.com
 ... The second antibody was peroxidase-labelled goat anti-rat IgG(F) (Nordic Immunological Labs) diluted 1 ... An attractive hypothesis is that the MHC class II **haplotype** determines the activation of T ... 26 Larsen S. Glomerular immune deposits in kidneys from patients with no clinical or ...

[Cited by 32 - Related articles - All 6 versions](#)DNA sequence variation in the porcine growth hormone promoter region from Danish and exotic pigs

NJ Larsen, VH Nielsen - *Animal Biotechnology*, 1997 - Informaworld.com
 ... Taq polymerase based cycle sequencing with 32P-labelled or Fluorescein labelled primers were performed with the "dsDNA Cycle Sequencing kit" (Gibco-BRL) or the "F-mol sequencing kit" (Promega). ... 162 LARSEN AND NIELSEN-H4, -H5 = GGGTCC, **haplotype** GH-H3 ...

[Cited by 1 - Related articles - St. Direct - All 2 versions](#)Primary and secondary immunocompetence in mixed allogeneic chimeras[immunol.org \[HTML\]](#)

TC Pearson, R Ahmad, CP Larsen - *The Journal of ...*, 2003 - Am Assoc Immunol
 ... Thandi M. Onami, Thomas C. Pearson*, Rafi Ahmed 2, and Christian P. Larsen 2,* ... response in the mixed chimeras analyzed here is largely determined by the **haplotype** of the ... Where indicated, bone marrow was depleted of CD3+ cells using biotin-labelled CD3 Ab (BD ...

[Cited by 22 - Related articles - St. Direct - All 6 versions](#)Growth hormone gene polymorphism associated with selection for milk fat production in lines of cattle

S Høj, M Fredholm, NJ Larsen, VH ... - *Animal Genetics*, 1993 - Interscience.wiley.com
 ... Frederiksborg C, Denmark N J Larsen, VH Nielsen National Institute of Animal Science, Foulum ...
 Probes were labelled with [³²P]-dGTP by the random priming method (Feinberg & Vogel ... GH loci was observed between the two Danish lines, the D-MspI(-) **haplotype** being most ...

[Cited by 52 - Related articles - St. Direct - All 5 versions](#)[PDF] Populations genetic analysis of nuclear and mitochondrial loci in skin biopsies collected from central and northeastern North Atlantic humpback whales (...)[jstor.org \[PDF\]](#)

AH Larsen, J Sigurjónsson, N Olsen, G Vikingsson ... - *Proceedings Biological ...*, 1996 - JSTOR
 ... 1995) except only 0.4 units AmpliTaq® polymerase and 0.04 pM labelled oligo-nucleotide primer was added. Amplifications were done on a Gene Machine? ... Northeastern North Atlantic humpback whales AH Larsen 1615 ... (**Haplotype** and sex of the 120 analysed individuals. ...

[Cited by 47 - Related articles - St. Direct - All 4 versions](#)Immunoglobulin deficiencies and susceptibility to infection among homozygotes and heterozygotes for C2 deficiency[harvard.edu \[PDF\]](#)

R Stein, G Uko, CE Larsen, DP Duthey, P ... - *Journal of Clinical ...*, 2003 - Springer
 ... AL PER, 1.27 JIANGHUA XIU, 1.12 KATHERINE COSMOPOULOS, 1 BRIAN DOLINSKI, 1 ROSANNE STEIN, 1 GABRIEL UKO, 1,2 CHARLES E. LARSEN, 1,3 ... Type I (28 bp deletion in C2 exon 6 on the (HLA-B18, 5042, DR2) **haplotype** or its fragments) and type II (non-type I) C2 ...

[Cited by 22 - Related articles - St. Direct - All 6 versions](#)Is mortalin a candidate gene for T1DM?

... A Pihl, AE Kjærson, ZM Larsen, A Jønsen, H ... - 2004 - Informahealthcare.com
 ... The forward primer was labelled with fluorescein and the PCR product was analyzed on an ABI PRISM 310 Genetic ... Stratification neither for HLA status or age of onset nor **haplotype** construction including the SNP data from position 977 and ... [2] Andersen, HU, Larsen, PM, Fey ...

[Cited by 3 - Related articles - All 7 versions](#)

[Major histocompatibility complex phenotypes influence serum testosterone concentration](#)

B Larsen, CA King, M Simms, VM Skanes - *Rheumatology*, 2000 - Br Soc Rheumatology
... B. Larsen, CA King, M. Simms and VM Skanes ... followed by a second round of amplification in which 5'-end 32 P-labelled I4 (TGTGTGTTGCAGGGGAGAGAGG ... For instance, while TNFa2 is usually found in the HLA-B8,DR3 haplotype, it also occurs in other haplotypes (B17,DR7 ...

Cited by 5 - Related articles - B1. Direct | - All B versions

[oxfordjournals.org](#) | [HTML](#)

[Create email alert](#)

◀ Google ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

[Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google